


FINE CLEANERS


HTN0209-V01




GAU-600 up to 1.2 t/h



UB-600 up to 1.5 t/h (std.)
UB-1000 up to 3.0 t/h (std.)
UB-1250 up to 3.8 t/h (std.)
UB-1500 up to 4.5 t/h (std.)



S-600 up to 2.0 t/h
S-1250 up to 4.0 t/h



AP-1250 up to 10 t/h
AP-1500 up to 15 t/h



FAU-1000 up to 8 t/h (std.)
FAU-1250 up to 10 t/h (std.)
FAU-1500 up to 12 t/h (std.)



332 Packham Avenue
 Saskatoon, SK S7N 2T1
 Ph: (306) 244-2285
 www.cansedequip.com Fax: (306) 244-4066


Please contact us for detailed information.

Westrup A/S P.O. Box 127 DK-4200 Slagelse Denmark Phone: +45 58 522564 Fax: +45 58 525251 info@westrup.com	Westrup Inc. 700 E. Park Blvd. Suite 210 Plano, Texas 75074 USA Phone: +1 972 881 8557 Fax: +1 972 881 8868 westrupinc@aol.com	Westrup (U.K.) Ltd. 30, North Street Wetherby West Yorkshire LS22 6NN England Phone: +44 (0) 1937 581365 Fax: +44 (0) 1937 586904 info@westrup.co.uk	MAG Process P.O. Box 9712 F-37097 Tours Cedex France Phone: +33 2 47 511900 Fax: +33 2 47 415970 mag.process@wanadoo.fr	Westrup A/S Büro Deutschland Böhmerwaldstr. 5 D-84032 Altdorf Germany Phone: +49 871 32919 Fax: +49 871 35912 reiter.westrup@t-online.de
---	--	--	--	---

Meet us all at: www.westrup.com

BRUSHING MACHINES

HTN0212-V02




HA-400 up to 0.5 t/h on ryegrass



HA-600 up to 1.0 t/h on ryegrass
HA-800 up to 1.5 t/h on ryegrass


CLIPPER/DE-AWNERS



CW-600 up to 6 t/h
CW-800 up to 8 t/h
CW-1000 up to 10 t/h
CW-1250 up to 12 t/h
CW-1500 up to 15 t/h



CWJ-1600



"D" up to 25 t/h



www.canseedequip.com

332 Packham Avenue
Saskatoon, SK S7N 2T1
Ph: (306) 244-2285
Fax: (306) 244-4066

Please contact us for detailed information.

Westrup A/S P.O. Box 127 DK-4200 Slagelse Denmark Phone: +45 58 522564 Fax: +45 58 525251 info@westrup.com	Westrup Inc. 700 E. Park Blvd. Suite 210 Plano, Texas 75074 USA Phone: +1 972 881 8557 Fax: +1 972 881 8868 westrupinc@aol.com	Westrup (U.K.) Ltd. 30, North Street Wetherby West Yorkshire LS22 6NN England Phone: +44 (0) 1937 581365 Fax: +44 (0) 1937 586904 info@westrup.co.uk	MAG Process P.O. Box 9712 F-37097 Tours Cedex France Phone: +33 2 47 511900 Fax: +33 2 47 415970 mag.process@wanadoo.fr	Westrup A/S Büro Deutschland Böhmerwaldstr. 5 D-84032 Altdorf Germany Phone: +49 871 32919 Fax: +49 871 35912 reiter.westrup@t-online.de
---	--	--	--	---


Meet us all at: www.westrup.com

INDENTED CYLINDERS

HTN0209-V01



H-500 x 1000 up to 1 t/h



In construction
1 over 1
with covering

H-500 x 1500 up to 2 t/h
H-500 x 1900 up to 3 t/h
H-500 x 2500 up to 4 t/h



TR-620 up to 5.0 t/h
TR-625 up to 6.0 t/h
TR-630 up to 8.0 t/h

TR-930 up to 12.0 t/h
TR-940 up to 17.0 t/h

TR-725 up to 7.5 t/h
TR-730 up to 10.0 t/h

TR-1240 up to 22.0 t/h
TR-1250 up to 27.0 t/h



332 Packham Avenue
Saskatoon, SK S7N 2T1

Ph: (306) 244-2285

www.canseedequip.com

Fax: (306) 244-4066

Please contact us for detailed information.

Westrup A/S P.O. Box 127 DK-4200 Slagelse Denmark Phone: +45 58 522564 Fax: +45 58 525251 info@westrup.com	Westrup Inc. 700 E. Park Blvd. Suite 210 Plano, Texas 75074 USA Phone: +1 972 881 8557 Fax: +1 972 881 8868 westrupinc@aol.com	Westrup (U.K.) Ltd. 30, North Street Wetherby West Yorkshire LS22 6NN England Phone: +44 (0) 1937 581365 Fax: +44 (0) 1937 586904 info@westrup.co.uk	MAG Process P.O. Box 9712 F-37097 Tours Cedex France Phone: +33 2 47 511900 Fax: +33 2 47 415970 mag.process@wanadoo.fr	Westrup A/S Büro Deutschland Böhmerwaldstr. 5 D-84032 Altdorf Germany Phone: +49 871 32919 Fax: +49 871 35912 reiter.westrup@t-online.de
---	--	--	--	---

Meet us all at: www.westrup.com

GRAVITY SEPARATOR


Type KA-1900 / -2200 / -2600

HTN0211-V03

The Westrup gravity separator type KA is used for fine grading and impurity separation of a number of products with identical particle size but with differences in their respective weights; often this is the only possible method to achieve the purity required and the gravity separator is therefore used where traditional cleaning methods by air, screen, and indented cylinder prove to be less than effective.

Estimated capacity on wheat is for KA-1900 up to 3.6 t/h, for KA-2200 up to 4.3 t/h, and for KA-2600 up to 6.0 t/h.

The machine is constructed of steel with the oscillating grading deck of waterproof laminated wood. Deck change from the side of the machine.



www.canseedequip.com

332 Packham Avenue
Saskatoon, SK S7N 2T1

Ph: (306) 244-2285

Fax: (306) 244-4066

STANDARD CONSTRUCTION:

- Adjustable inlet.
- Grading deck with standard covering for grain and adjustable guide plates.
- Adjustable stroke length, eccentric rpm, air quantity, and deck inclination
- Outlet bench (excl. sack clamps).
- Built-in fan, speed drive, motors, and air filter.

	KA-1900	KA-2200	KA-2600
Motor, built-in fan	11.00 kW	11.00 kW	11.00 kW
Motor, deck	1.10 kW	1.10 kW	1.10 kW
Deck size	1.05 m ²	1.44 m ²	2.15 m ²
Approx. air quantity, dust hood	5000 m ³ /h	5000 m ³ /h	5000 m ³ /h

Special features:

- Left-hand construction.
- Excl. air filter.
- Excl. outlet bench.
- Dust extraction chute at inlet.
- Dust aspiration hood above the deck.
- Round sack clamps for outlets on outlet bench.
- Return belt conveyor.
- Manual hydraulic control with manual pump.
- Semi-manual hydraulic control with manual electrical pump.
- Automatic hydraulic PLC control, pushbutton type.
- Programmable hydraulic PLC control, operator panel with 9 memories.

Westrup A/S P.O. Box 127 DK-4200 Slagelse Denmark Phone: +45 58 522564 Fax: +45 58 525251 info@westrup.com	Westrup Inc. 700 E. Park Blvd. Suite 210 Plano, Texas 75074 USA Phone: +1 972 881 8557 Fax: +1 972 881 8868 westrupinc@aol.com	Westrup (U.K.) Ltd. 30, North Street Wetherby West Yorkshire LS22 6NN England Phone: +44 (0) 1937 581365 Fax: +44 (0) 1937 586904 info@westrup.co.uk	MAG Process P.O. Box 9712 F-37097 Tours Cedex France Phone: +33 2 47 511900 Fax: +33 2 47 415970 mag_process@wanadoo.fr	Westrup A/S Büro Deutschland Böhrnerwaldstr. 5 D-84032 Altdorf Germany Phone: +49 871 32919 Fax: +49 871 35912 relier.westrup@t-online.de
---	--	--	--	--

Meet us all at: www.westrup.com

CLIPPER / DE-AWNER


Type CW-600 / -800 / -1000 / -1250 / -1500

HTN0211-V02

The Westrup CW clipper/de-awner is used for pre-treatment of various grain types; the purpose of the de-awning operation is to remove awns from barley kernels, loose husks from wheat, and to clip oat kernels.


The clipper/de-awner can be used where heavy de-awning is required but also for products where only a light de-awning is needed as the degree of de-awning depends on the length of time the material takes to pass through the de-awner housing; with the adjustable bottom slide gate, the flow-time through can be increased or decreased.

The machine is constructed of steel and mounted on a platform.



STANDARD CONSTRUCTION:

- Inlet with adjustable capacity slide.
- Housing with a number of round beaters.
- Adjustable bottom slide gate.
- V-belt drive and motor.



Special features:

- Incorporating a buffer bin between clipper/de-awner and cleaner.
- Left hand construction.
- Various kinds of beaters.
- Wiremesh or teardrop plate inside.

	CW-600	CW-800	CW-1000	CW-1250	CW-1500
Motor	4.0 kW	5.5 kW	11.0 kW	15.0 kW	30.0 kW
Beaters, round	16 pcs	32 pcs	40 pcs	48 pcs	60 pcs
Capacity up to	6 t/h	8 t/h	10 t/h	12 t/h	15 t/h

Westrup A/S
P.O. Box 127
DK-4200 Slagelse
Denmark

Phone: +45 58 522564
Fax: +45 58 525251
info@westrup.com

Westrup Inc.
700 E. Park Blvd.
Suite 210
Plano, Texas 75074
USA
Phone: +1 972 881 8557
Fax: +1 972 881 8868
westrupinc@aol.com

Westrup (U.K.) Ltd.
30, North Street
Wetherby
West Yorkshire LS22 6NN
England
Phone: +44 (0) 1937 581365
Fax: +44 (0) 1937 586904
info@westrup.co.uk



www.canseedequip.com

332 Packham Avenue
Saskatoon, SK S7N 2T1
Ph: (306) 244-2285
Fax: (306) 244-4066

Meet us all at: www.westrup.com

MODULAR CLEANERS

HTN0209-V01



Can Seed
EQUIPMENT LTD.
www.canseedequip.com


332 Packham Avenue
Saskatoon, SK S7N 2T1
Ph: (306) 244-2285
Fax: (306) 244-4066

	Fine cleaning:	Pre-cleaning:		Pre-cleaning:
FP-1000	up to 20 t/h	<i>ask for information</i>	SP-1000	up to 100 t/h
FP-1250	up to 25 t/h	-	SP-1250	up to 125 t/h
FP-1500	up to 30 t/h	-	SP-1500	up to 150 t/h
FP-1750	up to 35 t/h	-	SP-1750	up to 175 t/h
FP-2000	up to 40 t/h	-	SP-2000	up to 200 t/h
FP-2500	up to 50 t/h	-	SP-2500	up to 250 t/h



With 2 sieveboats:

	Fine cleaning:	Pre-cleaning:		Fine cleaning:	Pre-cleaning:
CC-1250	up to 30 t/h	up to 200 t/h	CC-1250	up to 15 t/h	up to 100 t/h
CC-1500	up to 36 t/h	up to 240 t/h	CC-1500	up to 18 t/h	up to 120 t/h
CC-1750	up to 42 t/h	up to 280 t/h	CC-1750	up to 21 t/h	up to 140 t/h
CC-2000	up to 48 t/h	up to 320 t/h	CC-2000	up to 24 t/h	up to 160 t/h
CC-2500	up to 60 t/h	up to 400 t/h	CC-2500	up to 30 t/h	up to 200 t/h



With 1 sieveboat:

Please contact us for detailed information.

Westrup A/S P.O. Box 127 DK-4200 Slagelse Denmark Phone: +45 58 522564 Fax: +45 58 525251 info@westrup.com	Westrup Inc. 700 E. Park Blvd. Suite 210 Plano, Texas 75074 USA Phone: +1 972 881 8557 Fax: +1 972 881 8868 westrupinc@aol.com	Westrup (U.K.) Ltd. 30, North Street Wetherby West Yorkshire LS22 6NN England Phone: +44 (0) 1937 581365 Fax: +44 (0) 1937 586904 info@westrup.co.uk	MAG Process P.O. Box 9712 F-37097 Tours Cedex France Phone: +33 2 47 511900 Fax: +33 2 47 415970 mag.process@wanadoo.fr	Westrup A/S Büro Deutschland Böhrmerwaldstr. 5 D-84032 Altdorf Germany Phone: +49 871 32919 Fax: +49 871 35912 reiter.westrup@t-online.de
---	--	--	--	--


Meet us all at: www.westrup.com

LABORATORY MACHINES


HTN0209-V01



LA-BG Band Grader




LA-BS Band Grader



Work table not shown

LA-G Grader



LA-SIZEMAX Grader



LA-SIZER Grader



LA-MINI/MAXI BLOWER

Please contact us for detailed information.

<p>Westrup A/S P.O. Box 127 DK-4200 Slagelse Denmark</p> <p>Phone: +45 58 522564 Fax: +45 58 525251 info@westrup.com</p>	<p>Westrup Inc. 700 E. Park Blvd. Suite 210 Plano, Texas 75074 USA</p> <p>Phone: +1 972 881 8557 Fax: +1 972 881 8868 westrupinc@aol.com</p>	<p>Westrup (U.K.) Ltd. 30, North Street Wetherby West Yorkshire LS22 6NN England</p> <p>Phone: +44 (0) 1937 581365 Fax: +44 (0) 1937 586904 info@westrup.co.uk</p>	<p>M/ P./ F.: Fr Ph Fa m:</p> <p> Can Seed EQUIPMENT LTD.</p> <p>www.canseedequip.com</p>	<p>332 Packham Avenue Saskatoon, SK S7N 2T1</p> <p>Ph: (306) 244-2285 Fax: (306) 244-4066</p>
---	---	---	--	---

Meet us all at: www.westrup.com